BMC Musculoskeletal Disorders



Research article Open Access

The effect of Lipoxin A₄ on the interaction between macrophage and osteoblast: possible role in the treatment of aseptic loosening Gang Li¹, Ping Wu*^{2,3}, Yao Xu⁴, Yan Yu⁴, Li Sun⁴, Liang Zhu⁴ and Duyun Ye³

Address: ¹Department of surgery, Liyuan Hospital, Huazhong University of Science and Technology, Wuhan, 430077, PR China, ²Health Sciences Center and VA Medical Center, University of Utah, Salt Lake City, 84132, USA, ³Department of Pathophysiology, Tongji Medical College, Huazhong University of Science and Technology, Wuhan, 430030, PR China and ⁴Seven year system of clinical medicine, Tongji Medical College, Huazhong University of Science and Technology, Wuhan, 430030, PR China

Published: 2 June 2009

BMC Musculoskeletal Disorders 2009, 10:57 doi:10.1186/1471-2474-10-57

This article is available from: http://www.biomedcentral.com/1471-2474/10/57

© 2009 Li et al; licensee BioMed Central Ltd.

This is an Open Access article distributed under the terms of the Creative Commons Attribution License (http://creativecommons.org/licenses/by/2.0), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

Received: 3 February 2009 Accepted: 2 June 2009

Abstract

Background: Aseptic loosening (AL) is the main problem of total joints replacement (TJR) by the implantation of permanently prosthetic components. In vitro and in vivo studies have clearly demonstrated that wear debris and its byproducts could trigger inflammation in the peri-implant tissue. Lipoxins (LXs) are endogenous eicosanoids synthesized locally from arachidonate acid (AA) at sites of inflammation and mediate pro-resolving activity. A number of studies have demonstrated the effect of LXA₄ to counteract inflammation in different cell and animal models, but till now, no relative report about the role of LXs in progress or prevention of AL.

Methods: Murine RAW264.7 macrophage cell line and MC3T3-E1 osteoblasts (OB) cell line were purchased. Co-cultured model of these two cell lines was established. To explore the effect of exogenous Lipoxin A_4 (LXA₄) on polymethylmethacrylate (PMMA) induced inflammation, proinflammatory cytokines including TNF- α , IL-1 β , PGE₂ and GM-CSF were measured by ELISA kits and bone resorption was quantified by measuring calcium release from 5-day-old mice calvaria in vitro. To determine further the endogenous effect of LXA₄, cells were co-cultured and with or without 15-lipoxygease (15-LO) blocking by 15-LO siRNA. Both real-time PCR and western blotting were applied to confirm the inhibitory efficiency of 15-LO by siRNA.

Results: 0.1 mg/ml, 0.5 mg/ml and 1.0 mg/ml PMMA showed a time-dependent manner to trigger production of all the pro-inflammatory cytokines studied. Exogenous 0–100 nM LXA₄ presented an inhibitory effect on both generation of above cytokines and PMMA stimulated calvarial bone resorption with a dose-dependent manner. LXA₄ in supernatant from neither rest macrophages nor macrophages cultured alone exposing to PMMA was detectable. In co-cultured cells challenged by PMMA, LXA₄ was increased significantly, while, this enhance could be partly inhibited by 15-LO siRNA. When LXA₄ generation was blocked with 15-LO siRNA, the PMMA induced pro-inflammatory cytokines were elevated and bone resorption was accelerated.

Conclusion: In the present study, we demonstrated that LXA_4 had a favorable inhibitory effect on PMMA-induced inflammation in a macrophage and OB co-culture system.

^{*} Corresponding author

Background

The total joints replacement (TJR) by the implantation of permanently prosthetic components has been one of the most successful clinical procedures in orthopaedic surgery of recent decades[1]. However, despite the clinical effectiveness of joint replacement arthroplasty, aseptic loosening (AL) of the prosthesis still remains a major problem, especially for long-term success and survival of prosthesis[2]. In most cases of AL, revision surgery is needed, which will cause serious damage physically and mentally to the sufferers[3]. Among all the reasons of AL, inflammatory reaction induced by excessive production of wear particles from the implant components and consequent peri-implant osteolysis are believed to be the primary causes [4,5].

In vitro and in vivo studies have clearly demonstrated that wear debris and its byproducts could trigger a series of cellular biology responses[6]. Phagocytic cells engulfing particulate debris become activated, release proinflammatory cytokines, degradative enzymes, reactive oxygen radicals and other substances, stimulate osteoclasts to undermine the prosthetic bed [7-9]. Of the entire cellular population in the foreign body and chronic inflammation to wear particles, macrophages comprise 60–80% [10-13].

While most of the studies have been concentrated on understanding excessive bone resorption in osteolysis, less attention has been paid to the possible involvement of defective bone formation[14]. As we know, normally, the balance between bone resorption and formation leads to the bone homeostasis[15,16]. It is therefore also critical to consider the effect of wear debris on osteoblasts (OBs), the cell type responsible for bone formation. Interestingly, it has been demonstrated that following the phagocytosis of polymethylmethacrylate (PMMA) by macrophages, OBs are necessary to stimulate osteoclast generation and migration in the peri-implant tissue [17-19]. These prior studies shed some light on the importance of the OBs response to mediators released by macrophages in AL; unfortunately, they do not take into account the potential effects of mediators released by osteoblasts upon macrophages.

Lipoxins (LXs) are endogenous eicosanoids that were synthesized locally from arachidonate acid at sites of inflammation and mediate pro-resolving activity [20]. LXA₄, LXB₄ and their enantiomers are the major LXs in mammals so far reported[21]. A number of studies have demonstrated the effect of LXA₄ to counteract inflammation in different cell and animal models, such as asthma, periodontal disease, atherosclerosis, cystic fibrosis, gastrointestinal disease, acute lung injury and rheumatic diseases[20,22-28]. They are considered as endogenous

"stop signals" for inflammation, but till now, no relative report about the role of LXs in progress or prevention of AI.

Thus in this study, we applied the co-culture system to test the crosstalk between macrophage and OB and the potential therapeutic effect of LXs on these cells. The present study was an initial research to examine the inhibitory effect of LXs on AL.

Methods

Preparation of PMMA particles and LXA₄

Spherical PMMA particles (Polysciences, USA), with mean diameter $6.0 \pm 1.8 \, \mu m$, were measured by a Coulter Multisizer II (Coulter Electronics) and it was confirmed that ninety percent of the particles were <10 μ m in diameter. The particles were rinsed in 70% ethanol for three times and sterilized in 70% ethanol for 48 h, then washed three times in sterile phosphate buffered saline (PBS). A Limulus Amebocyte Lysate kit (BioWhittaker, USA) was used to test negative for endotoxin. After that, the particles were then suspended in sterile PBS at 5 mg/ml (1 × 10^8 particles/ml) till use.

LXA₄ (Cayman Chemical Company, USA) was stored at -80°C until being diluted in serum-free culture medium immediately before use.

Cell Culture and Preparation of Conditioned Medium

The RAW264.7 murine macrophage cell line (The Cell Bank of Type Culture Collection of Chinese Academy of Sciences, China) was cultured as we did before[29]. Cells were cultured at 37°C in RPMI-1640 (Gibco BLR Life Technologies Inc, USA) containing 10% heat-inactivated fetal calf serum (FCS) (Sigma Chemical Co, USA), 2 g/L NaHCO₃ (pH = 7.4), penicillin (100 units/ml) and streptomycin sulfate (100 μ g/ml) in a humidified atmosphere of 5% CO₂.

The MC3T3-E1 murine OB cell line (China Center for Type Culture Collection) was used in this study because it bore many similarities to OB, such as morphology, production of calcified bone matrix, collagen, and alkaline phosphatase [30]. These cells were maintained in DMEM (Gibco BRL, USA) with 10% FCS, OPI Media Supplement (1 mM oxaloacetate, 0.45 mM pyruvate, 0.2 U/ml insulin, Sigma, USA) and antibiotics. Cells were kept in an incubator as described above.

Co-culture model was established as the following[30]. Macrophages were seeded in Falcon 6-well plates (BD Bioscience, USA) at a density of 2×10^6 cells per well with 3 ml of medium. Simultaneously, OBs were seeded onto 6-well culture dish inserts (BD Bioscience, USA) at a density of 3×10^5 cells per insert with 2 ml of media. The insert

contained a membrane at the bottom onto which cells could grow but was semi-permeable to soluble factors. Macrophages and OBs were incubated separately for 24 hours then rinsed twice with sterile PBS. After that, PMMA particles in DMEM/10% FCS were added to the macrophages. Fresh medium was added to the OBs. The inserts with the OBs were then placed into the culture dishes which contained the macrophages and particles. The cocultured cells were incubated for additional 24 or 48 hours.

ELISA

The conditioned medium were collected, filtered through a 0.22 mm filter, and then assayed for some inflammation-related cytokines. LXA $_4$ concentration in cell supernatants was determined using ELISA kit (Oxford Biomedical Research, USA). TNF- α , IL-1 β , PGE $_2$ and GM-CSF were determined using ELISA kit (Pierce, USA). All above tests were accomplished according to the manufacturer's instructions.

Gene Silencing

Based on the previous report[31], a siRNA against mice 15-lipoxygenase (15-LO) was chemically synthesized and purified (GeneChem, Inc., Shanghai, China). The sequences of the siRNA oligos used were following: 15LOsiRNA-233: sense 5'-GCA ACU GGA UUU CUG UGA AGG-3', antisense 3'-CGU UGA CCU AAA GAC ACU UCC-5'; 15LO-siRNA-826: sense 5'-GAA GCG GAU UUC UUC CUU CUG-3', antisense 3'-CUU CGC CUA AAG AAG GAA GAC-5'; Scramble siRNA: sense 5'-GAU GCG GAA UUG UUC CUA CUG-3', antisense 3'-CUA CGC CUU AAC AAG GAU GAC-5'. The mix of 15LO-siRNA-233 and 15LO-siRNA-826 or negative control of scramble siRNA in serum-free medium was transfected into RAW 264.7 macrophages using Lipofectamine 2000 (Invitrogen, USA). 4 hours after then, medium was changed to complete medium and cells were allowed to recover for additional 24 hours prior to co-cultured with OBs or 15-LO mRNA measuring, or 48 hours prior to 15-LO protein measuring.

Real time quantitative reverse transcriptase-polymerase chain reaction (RT-QPCR)

Total cellular RNA was isolated from cultured cells using RNeasy mini kit (Qiagen Inc., USA). First strand cDNA was reverse transcribed from 2.0 µg of total RNA using a high capacity cDNA archive kit (Applied Biosystems, USA). MRNA level of 15-LO was quantified with specific primers: sense 5'-ACC CCA CCG CCG ATT TT-3', antisense 5'-AGC TTC GGA CCC AGC ATT T-3'. GAPDH was applied as internal control with specific primers: sense 5'-TGT GTC CGT CGT GGA TCT GA-3', antisense 5'-CCT GCT TCA CCA CCT TCT TGA T-3'[32,33]. CDNA (90 ng) was mixed with ABI TaqMan Universal PCR Master Mix

and the appropriate ABI TaqMan Gene Expression Assay for the gene of interest. We used the comparative cycle threshold (C_T) method ($2^{-\Delta \Lambda CT}$) to calculate relative gene expression under experimental and control conditions normalized to GAPDH. The results were expressed as fold-change over control values[34].

Calvarial bone resorption assay

Bone resorption was quantified by measuring calcium release from 5-day-old mice calvaria in vitro[35]. Briefly, halved calvaria were cultured singly on stainless steel grids in 30-mm dishes with 1.5 ml BGJb medium (Sigma Chemical Co, USA) supplemented with 5% complementinactivated FCS, 1% penicillin/streptomycin and 50 mg/ ml ascorbic acid (Sigma Chemical Co, USA). The plates were then incubated for 24 hours at 37 °C with 5% CO₂. Then the media were aspirated and the wells and disks were rinsed twice with sterile PBS. A 1:1 mixture of different conditioned medium to BGJb/FCS/Antibiotic, and a 1:1 mixture of DMEM/FCS with BGJb/FCS/Antibiotic were placed in control plates. The calvaria were cultured for a further 48 hours and then the calcium content of the media were measured by automated colorimetric assay. In all assays, part of calvaria remained unstimulated to provide a measure of spontaneous calcium release from bone, and part of calvaria were cultured in the presence of 1 mM PGE₂ to demonstrate that the bone explants were metabolically responsive.

Western immunoblotting

Cell lysates were prepared in RIPA buffer supplemented with a full spectrum protease inhibitor cocktail (Roche Biochemicals, USA), and then subjected to SDS-PAGE electrophoresis and subsequent membrane transfer. Before probing with Abs, the blotted membranes were blocked with 3% (w/v) BSA in 1% TBS-Tween 20 for 1 h. Mice anti-15-LO antibodies (Cell Signaling Technologies, USA) were used for membrane immunostaining. After washing 3 times with TBS-Tween 20 at room temperature, the membranes were incubated for 1 h with a HRP-conjugated secondary Ab. Membranes were washed three times in TBS-Tween 20 and developed with ECL reagent (Millipore). Appropriate dilutions of antibody were empirically derived.

All above studies were approved by the Ethical Committee of Tongji Medical College, Huazhong University of Science and Technology, China.

Statistical analysis of the data

Statistical analysis among groups was performed by one-way ANOVA test. Data were expressed as mean ± standard error of the mean. A P-value of less than 0.05 was considered as significant difference.

Results

$\mathsf{LXA_4}$ inhibited the pro-inflammatory cytokines induced by PMMA

PMMA particles were widely used in TJR and generally found in peri-prosthetic tissue. Thus in our study, they served as stimulator to trigger the inflammation of macrophages. Different concentration of PMMA (final concentration: 0.1 mg/ml, 0.5 mg/ml and 1.0 mg/ml) were added into RAW 264.7 culture medium 12, 24 or 48 hours prior to test. It was confirmed that (Fig. 1), in all of the PMMA concentration groups, the pro-inflammatory cytokines were increased in a time-dependent manner in 12 hours to 48 hours after treatment (P < 0.001 compared to control groups). The effect of PMMA at a concentration higher than 1 mg/ml was also studied. It was confirmed that 1 mg/ml PMMA did not reach the highest plateau (data not shown).

Then, in order to study the effect of LXA₄, 1.0 mg/ml PMMA was applied to stimulate the macrophages, while, 0–100 nM LXA₄ was administrated simultaneously. After 24 hours, as seen in Fig. 2, LXA₄ showed inhibitory effect on 1.0 mg/ml PMMA-induced pro-inflammatory cytokines production in a dose-dependent manner. Compared with the cells without LXA₄ treatment, TNF- α , PGE₂ and GM-CSF in 50 nM LXA₄ treated cells and TNF- α , IL-

1 β , PGE₂ and GM-CSF in 100 nM LXA₄ treated cells were significantly lower (P < 0.05).

LXA₄ blocked the bone resorption induced by PMMA

Since the resorptive activity of culture media from macrophages exposed to diverse types of particles had been documented [36], we further studied the effect of LXA $_4$ on in vitro calvarial bone resorption. The culture media from control cells, PMMA stimulated cells or both PMMA and LXA $_4$ treated cells were added into calvarial bone tissue, respectively. It was shown in Fig. 3, after 48 hours treatment, ionized calcium level was obviously increased from 0.91 \pm 0.05 mM in control groups to 3.22 \pm 0.42 mM in 1.0 mg/ml PMMA stimulated groups (P < 0.01), while, LXA $_4$ in all concentrations decreased the calcium enhance. Statistical difference could be seen in 100 nM LXA $_4$ treated group.

Effect of PMMA on endogenous LXA4 production

Above data showed an important anti-inflammatory role of exogenous LXA₄ on the PMMA induced inflammation in cultured macrophages. To determine whether endogenous LXA₄ formation also played a role in the resolution of peri-implant inflammation induced by wear debris, we next determined weather PMMA could change the production of LXA₄ in RAW 264.7 cells. RAW 264.7 macro-




Figure I
Changes of pro-inflammatory cytokines in culture media of macrophages exposed to different concentration of PMMA. All the cytokines were measured with correspondent ELISA kits. **, P < 0.001 compared to 0 hour group.




Figure 2 LXA₄ inhibited the production of pro-inflammatory cytokines in culture media of macrophages stimulated with PMMA. Cells were treated with 1.0 mg/ml PMMA and different dose of LXA₄ for 24 hours. **, P < 0.001 compared to control group; #, P < 0.05 compared to cells treated with PMMA only.




Figure 3 LXA₄ blocked PMMA stimulated calvarial bone resorption. Each point represented the mean \pm standard error of mean of 5-calvarial halves. **, P < 0.001 compared to control group; #, P < 0.05 compared to cells treated with PMMA only.

phages were cultured alone or co-cultured with MC3T3-E1 OB cell line and treated with 1.0 mg/ml PMMA for 48 hours. It was found that, in supernatant from macrophages cultured alone, LXA_4 could be detected in neither control cells nor cells treated with PMMA (Fig. 4.). In supernatant from co-cultured cells exposed to PMMA, LXA_4 was increased significantly, while, this enhance could be partly inhibited by 15-LO siRNA, which could block the expression of 15-LO, a key enzyme to LXs production in macrophages[31]. The block of 15-LO expression by 15-LO siRNA in macrophages were confirmed by RT-QPCR and western blotting (Fig. 4B and 4C).

Effect of endogenous LXA₄ on PMMA induced inflammation in macrophages

Now that we found LXA₄ could be generated in macrophages exposed to both OB and PMMA, we further tested

the effect of endogenous LXA $_4$ on PMMA induced inflammation. Macrophages were co-cultured with OB and treated with 1.0 mg/ml PMMA with or without 15-LO siRNA 24 hours prior to culture media being collected. As seen in Fig. 5, except PGE $_2$, all other pro-inflammatory cytokines studied were obviously higher when 15-LO was blocked.

Effect of endogenous LXA₄ on PMMA induced bone resorption

Because increase of pro-inflammatory cytokines paralleled bone resorption in both AL patients and our above results[30], we next examined the contribution of endogenous LXA₄ to PMMA induced bone resorption. The data showed that 15-LO siRNA significantly accelerated the bone resorption (Fig. 6, P < 0.05). Very interesting, we also found that after PMMA stimulation, media from co-




Figure 4
Effect of PMMA on endogenous LXA₄ production. A, LXA₄ content in culture media was monitored with ELISA kit. **, P < 0.01 compared to macrophages+PMMA; #, P < 0.05 compared with macrophage+OB+PMMA. B, Inhibition of 15-LO siRNA on 15-LO mRNA expression measured by RT-QPCR. Results were normalized to GAPDH and expressed as fold induction over cells co-cultured with OB without 15-LO siRNA. C, Inhibition of 15-LO siRNA on 15-LO protein expression measured by western blotting. GAPDH was applied as internal control.




Figure 5 Effect of endogenous LXA₄ on the production of pro-inflammatory cytokines. Culture media were collected 24 hours after treatment. **, P < 0.01 compared to control M ϕ cells; #, P < 0.05 compared to M ϕ +OB+PMMA cells.

cultured cells lead to obviously higher calcium content than media from macrophages cultured alone (Fig. 6, P < 0.05).

Discussion

Substantial progress has been made in recent years elucidating the mechanisms responsible for AL. One area has expanded rapidly is the demonstration that pro-inflammatory cytokines are not only produced in response to wear particles but also responsible for the downstream processes leading to osteolysis [37,38]. Undoubtedly, anti-inflammation is a good therapeutic option deserving attention. Some of the anti-inflammatory agents have yielded encouraging results in animal models of AL. For example, Etanercept[39] and pentoxifylline[40], a decoy receptor for TNF and an inhibitor of TNF secretion, respectively, have been independently shown to attenuate particle-induced osteolysis in the murine calvarial model, along with COX2 inhibitor Celecoxib[41].

However, despite these encouraging animal studies suggesting an association between AL and pro-inflammatory cytokines, no approved treatments are proved to perform in the prevention or treatment of human osteolysis[14].

Orally administration of pentoxifylline can reduce wear debris induced inflammation in isolated monocytes from healthy subjects[42]. But we do not know weather it could also work in patients with AL. A small clinical trial about Etanercept in osteolysis patients proved inconclusive[43]. Although it is found that systemic trafficking of macrophages to peri-implant tissue could be induced by bone cement particles in mice[12], there is no clear evidence in favor of systemic elevated levels of pro-inflammatory markers in serum of patients [14,44-46]. Meanwhile, even if multiple pro-inflammatory cytokines, such as IL-1, IL-6 and TNF- α , are crucial to osteolysis and ultimately AL, the synergistic interactions among these cytokines are required. Knocking out of any one of these cytokines or their receptors dose not completely protect murine calvaria from particle-induced osteolysis[38]. For example, in the murine femoral model, knock out of the IL-1 receptor blocked particle-induced inflammation but not osteolysis[47]. Similarly, neutralizing antibodies to IL-1 did not block osteolysis in an organ culture model of aseptic loosening[48]. Even in the experiments in double knock out mice lacking both IL-1 receptor and IL-6 or both TNF receptor-1 and TNF receptor-2 osteolysis also was not substantially altered[38].




Figure 6 Effect of endogenous LXA₄ on PMMA induced bone resorption. ***, P < 0.01 compared to M ϕ group; #, P < 0.05 compared to M ϕ +OB+PMMA group; ##, P < 0.05 compared to M ϕ +PMMA group.

Current unsatisfactory situation of AL prevention and treatment urges us to go back and ask help from the progress in study on mechanism of inflammation itself. As we know, a well-integrated host inflammatory response is essential in maintaining health and fighting disease[49]. Acute inflammation has several outcomes that include progression to chronic inflammation, scarring and fibrosis or complete resolution[50]. Resolution by precise definition and characterization is not the same as endogenous anti-inflammation. It is defined as a highly coordinated and process involving changes from gene transcription to local mediators generation within the resolution phase, not just in vivo dwindling with time of chemotaxic stimuli at the site of inflammation [50-52]. Importantly, successful resolution will limit excessive tissue injury and give little opportunity for the development of chronic, immune-mediated inflammation, like in AL[53].

Based upon previous understanding on inflammation, many drugs try to tame inflammation by inhibiting what occurring at the beginning of the immune response, such as blocking TNF- α or IL-1[38]. However, rather than nip an inflammation in the bud – which may thwart the body's own attempt to heal – a better approach may be to enhance the activity of these natural resolution-promoting compounds. Hence, resolution-directed therapeutics have become a new but attractive terrain for drug design in inflammation related diseases[53,54]. As important

lipid pro-resolution mediators, LXs are found to accelerate resolution in different cell and animal models, such as asthma, periodontal disease, atherosclerosis, cystic fibrosis, gastrointestinal disease, acute lung injury and rheumatic diseases[20,22-28]. But till now, no similar study on AL was reported.

Then, after it was confirmed that, in our cell model, PMMA showed a time-dependent manner to trigger production of all the pro-inflammatory cytokines studied, we administrated exogenous LXA₄ to make sure if it could inhibit PMMA induced inflammation in cultured macrophages. As shown in the results part, LXA₄ presented an inhibitory effect on both generation of above cytokines and PMMA stimulated calvarial bone resorption with a dose-dependent manner.

Since LXs are important endogenous lipids generated by 5- and 15-LO[55,56], we explore further the role of PMMA on LXA₄ production in macrophages. It was found that LXA₄ in culture media from neither rest macrophages nor macrophages cultured alone exposing to PMMA was detectable. Macrophages could only secrete LXA₄ after exposed to PMMA when they were co-cultured with OBs. This might because LXs are transcellular metabolism of AA by LO/LO interaction pathways in different cells[53]. Next, we also found that when LXA₄ generation was blocked with 15-LO siRNA, which could down-regulate both mRNA and protein expression in macrophages as

shown in Fig. 4, the PMMA induced inflammation became more serious. The changes included elevated proinflammatory cytokines and accelerated bone resorption.

It is clear that exogenous LXA₄ at the concentration of 1 to 10 nM did not show any obvious influence on PMMA-induced cytokine production or bone resorption (Fig. 2 and 3), while, the concentration of LXA₄ produced by coculture system exposed to PMMA was just 2.5 ± 0.8 nM (Fig. 4). This concentration difference may be because that LXA₄ is a short-acting lipid, both *in vitro* and *in vivo*[57]. Exogenous LXA₄ could be rapidly converted by initial dehydrogenation at carbon 15 to 15-oxo-LXA4 which is biologically inactive [58], but endogenous LXA₄ was produced persistently.

We also found another interesting phenomena that when macrophage were co-cultured with OBs, after PMMA challenge, both pro-inflammatory cytokines and bone resorption level are higher than which are in macrophages alone. Combining with what we concluded above that the cooperation of OBs to macrophages was also necessary to generation and effect of LXA₄, it indicated that the microcircumstance in the peri-implant tissue contribute not only to the beginning of particles-induced inflammation but also the resolution after that. The balance between these two parts decides the patients' destiny after TJR. It also showed that peri-implant inflammation could be better reproduced by this co-culture model.

Finally, it should be pointed out that in this paper we just used PMMA particles to mimic the inflammation in macrophages and OBs which participate in periprosthetic inflammation of AL patients. A related limitation is that it could not present all the changes in patients who use prosthesis made of other materials. Some other products of 15-LO, like 15-HETE and hepoxilins[59], may also contribute to the PMMA-induced inflammation in the co-culture system we used here. The underlying mechanisms may vary in different prosthesis components, even in different size and dose of same particles[30,60]. And, differences between the in vivo and the cell culture study methods make it still too early to conclude whether LXs contribute to prevention or treatment of AL.

Conclusion

Taken together, our findings indicate that LXA₄ has an inhibitory effect on PMMA-induced inflammation in a macrophage and OB co-culture system. Although it is now hard to say that LXA₄ could be used in the treatment of patient suffered from AL, this study is a valuable attempt in searching for alternative therapeutic strategy involving endogenous anti-inflammatory and pro-resolving lipid mediators.

Competing interests

The authors declare that they have no competing interests.

Authors' contributions

PW conceived of the study and participated in its design and helped to draft the manuscript. GL carried out the ELISA assay. YX carried out cell culture. YY carried out establishing the co-culture model. LS carried out real-time PCR. LZ carried out western-blotting. DY carries out the design of the study. All authors have read and approved the final manuscript.

Acknowledgements

This work was supported by National Natural Science Foundation of China (No. 30700840).

References

- Kokoszka P, Staszczuk P, Redman M, Pislewski Z, Pietrzak K: [Evaluation of outcomes following total hip arthroplasty]. Chir Narzadow Ruchu Ortop Pol 2008, 73(2):94-100.
- Ren W, Markel DC, Schwendener R, Ding Y, Wu B, Wooley PH: Macrophage depletion diminishes implant-wear-induced inflammatory osteolysis in a mouse model. J Biomed Mater Res A 2008, 85(4):1043-1051.
- Springer BD, Fehring TK, Griffin WL, Odum SM, Masonis JL: Why Revision Total Hip Arthroplasty Fails. Clin Orthop Relat Res 2009, 467(1):166-173.
- Shen Z, Crotti TN, McHugh KP, Matsuzaki K, Gravallese EM, Bierbaum BE, Goldring SR: The role played by cell-substrate interactions in the pathogenesis of osteoclast-mediated periimplant osteolysis. Arthritis Res Ther 2006, 8(3):R70.
- Dong L, Wang R, Zhu YA, Wang C, Diao H, Zhang C, Zhao J, Zhang J: Antisense oligonucleotide targeting TNF-alpha can suppress Co-Cr-Mo particle-induced osteolysis. J Orthop Res 2008, 26(8):1114-1120.
- Bauer TW, Shanbhag AS: Are there biological markers of wear? J Am Acad Orthop Surg 2008, 16(Suppl 1):S68-71.
- Drees P, Eckardt A, Gay RE, Gay S, Huber LC: Mechanisms of disease: Molecular insights into aseptic loosening of orthopedic implants. Nat Clin Pract Rheumatol 2007, 3(3):165-171.
- Talmo CT, Shanbhag AS, Rubash HE: Nonsurgical management of osteolysis: challenges and opportunities. Clin Orthop Relat Res 2006, 453:254-264.
- Kinov P, Leithner A, Radl R, Bodo K, Khoschsorur GA, Schauenstein K, Windhager R: Role of free radicals in aseptic loosening of hip arthroplasty. J Orthop Res 2006, 24(1):55-62.
- Horowitz SM, Purdon MA: Mediator interactions in macrophage/particulate bone resorption. J Biomed Mater Res 1995, 29(4):477-484.
- Miyanishi K, Trindade MC, Ma T, Goodman SB, Schurman DJ, Smith RL: Periprosthetic osteolysis: induction of vascular endothelial growth factor from human monocyte/macrophages by orthopaedic biomaterial particles. J Bone Miner Res 2003, 18(9):1573-1583.
- Ren PG, Lee SW, Biswal S, Goodman SB: Systemic trafficking of macrophages induced by bone cement particles in nude mice. Biomaterials 2008, 29(36):4760-4765.
- Sabokbar A, Fujikawa Y, Neale S, Murray DW, Athanasou NA: Human arthroplasty derived macrophages differentiate into osteoclastic bone resorbing cells. Ann Rheum Dis 1997, 56(7):414-420.
- Purdue PE, Koulouvaris P, Nestor BJ, Sculco TP: The central role of wear debris in periprosthetic osteolysis. Hss J 2006, 2(2):102-113.
- Heller HJ, Zerwekh JE, Gottschalk FA, Pak CY: Reduced bone formation and relatively increased bone resorption in absorptive hypercalciuria. Kidney Int 2007, 71(8):808-815.
- Tanaka Y, Nakayamada S, Okada Y: Osteoblasts and osteoclasts in bone remodeling and inflammation. Curr Drug Targets Inflamm Allergy 2005, 4(3):325-328.

- Pioletti DP, Kottelat A: The influence of wear particles in the expression of osteoclastogenesis factors by osteoblasts. Biomaterials 2004, 25(27):5803-5808.
- Vermes C, Chandrasekaran R, Jacobs JJ, Galante JO, Roebuck KA, Glant TT: The effects of particulate wear debris, cytokines, and growth factors on the functions of MG-63 osteoblasts. J Bone Joint Surg Am 2001, 83-A(2):201-211.
- Zambonin G, Colucci S, Cantatore F, Grano M: Response of human osteoblasts to polymethylmetacrylate In vitro. Calcif Tissue Int 1998, 62(4):362-365.
- Starosta V, Pazdrak K, Boldogh I, Svider T, Kurosky A: Lipoxin A4 counterregulates GM-CSF signaling in eosinophilic granulocytes. J Immunol 2008, 181(12):8688-8699.
- Serhan CN: Resolution phase of inflammation: novel endogenous anti-inflammatory and proresolving lipid mediators and pathways. Annu Rev Immunol 2007, 25:101-137.
- 22. Bonnans C, Vachier I, Chavis C, Godard P, Bousquet J, Chanez P: Lipoxins are potential endogenous antiinflammatory mediators in asthma. Am J Respir Crit Care Med 2002, 165(11):1531-1535.
- Merched AJ, Ko K, Gotlinger KH, Serhan CN, Chan L: Atherosclerosis: evidence for impairment of resolution of vascular inflammation governed by specific lipid mediators. Faseb J 2008, 22(10):3595-3606.
- Carvalho RR, Pellizzon CH, Justulin L Jr, Felisbino SL, Vilegas W, Bruni F, Lopes-Ferreira M, Hiruma-Lima CA: Effect of mangiferin on the development of periodontal disease: Involvement of lipoxin A(4), anti-chemotaxic action in leukocyte rolling. Chem Biol Interact 2009, 179(2-3):344-50.
- Fukunaga K: [Cyclooxygenase 2 derived lipid mediators play a pivotal role in resolution of acute lung injury]. Nihon Kokyuki Gakkai Zasshi 2008, 46(2):156-164.
- Yacoubian S, Serhan CN: New endogenous anti-inflammatory and proresolving lipid mediators: implications for rheumatic diseases. Nat Clin Pract Rheumatol 2007, 3(10):570-579. quiz 571 p following 589
- Machado FS, Esper L, Dias A, Madan R, Gu Y, Hildeman D, Serhan CN, Karp CL, Aliberti J: Native and aspirin-triggered lipoxins control innate immunity by inducing proteasomal degradation of TRAF6. J Exp Med 2008, 205(5):1077-1086.
- Mangino MJ, Brounts L, Harms B, Heise C: Lipoxin biosynthesis in inflammatory bowel disease. Prostaglandins Other Lipid Mediat 2006, 79(1-2):84-92.
- 29. Wu SH, Wu XH, Liao PY, Dong L: Signal transduction involved in protective effects of 15(R/S)-methyl-lipoxin A(4) on mesangioproliferative nephritis in rats. Prostaglandins Leukot Essent Fatty Acids 2007, 76(3):173-180.
- Horowitz SM, Gonzales JB: Inflammatory response to implant particulates in a macrophage/osteoblast coculture model. Calcif Tissue Int 1996, 59(5):392-396.
- Yuan H, Lanting L, Xu ZG, Li SL, Swiderski P, Putta S, Jonnalagadda M, Kato M, Natarajan R: Effects of cholesterol-tagged small interfering RNAs targeting 12/15-lipoxygenase on parameters of diabetic nephropathy in a mouse model of type 1 diabetes. Am J Physiol Renal Physiol 2008, 295(2):F605-617.
- Hajek AR, Lindley AR, Favoreto S Jr, Carter R, Schleimer RP, Kuperman DA: 12/15-Lipoxygenase deficiency protects mice from allergic airways inflammation and increases secretory IgA levels. J Allergy Clin Immunol 2008, 122(3):633-639.
- Kuperman DA, Lewis CC, Woodruff PG, Rodriguez MW, Yang YH, Dolganov GM, Fahy JV, Erle DJ: Dissecting asthma using focused transgenic modeling and functional genomics. J Allergy Clin Immunol 2005, 116(2):305-311.
- Ismail S, Sturrock À, Wu P, Cahill B, Norman K, Huecksteadt TP, Sanders KA, Kennedy TP, Hoidal JR: NOX4 Mediates Hypoxia-Induced Proliferation of Human Pulmonary Artery Smooth Muscle Cells: The Role of Autocrine Production of TGF-betal and IGFBP-3. Am J Physiol Lung Cell Mol Physiol 2009, 296(3):L489-99.
- Regmi A, Fuson T, Yang X, Kays J, Moxham C, Zartler E, Chandrashekhar S, Galvin RJ: Suramin interacts with RANK and inhibits RANKL-induced osteoclast differentiation. Bone 2005, 36(2):284-291.
- Valles G, Gil-Garay E, Munuera L, Vilaboa N: Modulation of the cross-talk between macrophages and osteoblasts by titanium-based particles. Biomaterials 2008, 29(15):2326-2335.

- Peng X, Tao K, Cheng T, Zhu J, Zhang X: Efficient Inhibition of wear debris-induced inflammation by locally delivered siRNA. Biochem Biophys Res Commun 2008, 377(2):532-537.
- 38. Taki N, Tatro JM, Lowe R, Goldberg VM, Greenfield EM: Comparison of the roles of IL-1, IL-6, and TNFalpha in cell culture and murine models of aseptic loosening. Bone 2007, 40(5):1276-1283.
- Childs LM, Goater JJ, O'Keefe RJ, Schwarz EM: Efficacy of etaner-cept for wear debris-induced osteolysis. J Bone Miner Res 2001, 16(2):338-347.
- Schwarz EM, Lu AP, Goater JJ, Benz EB, Kollias G, Rosier RN, Puzas JE, O'Keefe RJ: Tumor necrosis factor-alpha/nuclear transcription factor-kappaB signaling in periprosthetic osteolysis. J Orthop Res 2000, 18(3):472-480.
- Zhang X, Morham SG, Langenbach R, Young DA, Xing L, Boyce BF, Puzas EJ, Rosier RN, O'Keefe RJ, Schwarz EM: Evidence for a direct role of cyclo-oxygenase 2 in implant wear debris-induced osteolysis. J Bone Miner Res 2001, 16(4):660-670.
- Pollice PF, Rosier RN, Looney RJ, Puzas JE, Schwarz EM, O'Keefe RJ:
 Oral pentoxifylline inhibits release of tumor necrosis factoralpha from human peripheral blood monocytes: a potential treatment for aseptic loosening of total joint components. J Bone Joint Surg Am 2001, 83-A(7):1057-1061.
- Schwarz EM, Campbell D, Totterman S, Boyd A, O'Keefe RJ, Looney RJ: Use of volumetric computerized tomography as a primary outcome measure to evaluate drug efficacy in the prevention of peri-prosthetic osteolysis: a I-year clinical pilot of etanercept vs. placebo. J Orthop Res 2003, 21(6):1049-1055.
 Fiorito S, Magrini L, Goalard C: Pro-inflammatory and anti-
- Fiorito S, Magrini L, Goalard C: Pro-inflammatory and antiinflammatory circulating cytokines and periprosthetic osteolysis. J Bone Joint Surg Br 2003, 85(8):1202-1206.
- Granchi D, Verri E, Ciapetti G, Stea S, Savarino L, Sudanese A, Mieti M, Rotini R, Dallari D, Zinghi G, et al.: Bone-resorbing cytokines in serum of patients with aseptic loosening of hip prostheses.
 J Bone Joint Surg Br 1998, 80(5):912-917.
- Hernigou P, Intrator L, Bahrami T, Bensussan A, Farcet JP: Interleukin-6 in the blood of patients with total hip arthroplasty without loosening. Clin Orthop Relat Res 1999:147-154.
- 47. Epstein NJ, Warme BA, Spanogle J, Ma T, Bragg B, Smith RL, Goodman SB: Interleukin-I modulates periprosthetic tissue formation in an intramedullary model of particle-induced inflammation. J Orthop Res 2005, 23(3):501-510.
- Perry MJ, Ponsford FM, Mortuza FY, Learmonth ID, Atkins RM, Elson CJ: Osteolytic properties of the synovial-like tissue from aseptically failed joint prostheses. Br J Rheumatol 1996, 35(10):943-950.
- Serhan CN: Controlling the resolution of acute inflammation: a new genus of dual anti-inflammatory and proresolving mediators. J Periodontol 2008, 79(8 Suppl):1520-1526.
- 50. Serhan CN, Chiang N: Endogenous pro-resolving and anti-inflammatory lipid mediators: a new pharmacologic genus. Br J Pharmacol 2008, 153(Suppl 1):S200-215.
 51. Serhan CN, Chiang N, Van Dyke TE: Resolving inflammation:
- Serhan CN, Chiang N, Van Dyke TE: Resolving inflammation: dual anti-inflammatory and pro-resolution lipid mediators. Nat Rev Immunol 2008, 8(5):349-361.
- Levy BD, Clish CB, Schmidt B, Gronert K, Serhan CN: Lipid mediator class switching during acute inflammation: signals in resolution. Nat Immunol 2001, 2(7):612-619.
- Gilroy DW, Lawrence T, Perretti M, Rossi AG: Inflammatory resolution: new opportunities for drug discovery. Nat Rev Drug Discov 2004, 3(5):401-416.
- Lawrence T, Bebien M, Liu GY, Nizet V, Karin M: IKKalpha limits macrophage NF-kappaB activation and contributes to the resolution of inflammation. Nature 2005, 434(7037):1138-1143.
- Serhan CN: Lipoxins and novel aspirin-triggered 15-epi-lipoxins (ATL): a jungle of cell-cell interactions or a therapeutic opportunity? Prostaglandins 1997, 53(2):107-137.
- 56. Chen M, Divangahi M, Gan H, Shin DS, Hong S, Lee DM, Serhan CN, Behar SM, Remold HG: Lipid mediators in innate immunity against tuberculosis: opposing roles of PGE2 and LXA4 in the induction of macrophage death. J Exp Med 2008, 205(12):2791-2801.
- Levy BD, Lukacs NW, Berlin AA, Schmidt B, Guilford WJ, Serhan CN, Parkinson JF: Lipoxin A4 stable analogs reduce allergic airway responses via mechanisms distinct from CysLT1 receptor antagonism. Faseb J 2007, 21(14):3877-3884.

- 58. Serhan CN, Maddox JF, Petasis NA, Akritopoulou-Zanze I, Papayianni A, Brady HR, Colgan SP, Madara JL: Design of lipoxin A4 stable analogs that block transmigration and adhesion of human neutrophils. Biochemistry 1995, 34(44):14609-14615.
- 59. Kuhn H, O'Donnell VB: Inflammation and immune regulation
- by 12/15-lipoxygenases. Prog Lipid Res 2006, 45(4):334-356.

 60. Green TR, Fisher J, Matthews JB, Stone MH, Ingham E: Effect of size and dose on bone resorption activity of macrophages by in vitro clinically relevant ultra high molecular weight polyethylene particles. J Biomed Mater Res 2000, 53(5):490-497.

Pre-publication history

The pre-publication history for this paper can be accessed here:

http://www.biomedcentral.com/1471-2474/10/57/pre pub

> Publish with **Bio Med Central** and every scientist can read your work free of charge

"BioMed Central will be the most significant development for disseminating the results of biomedical research in our lifetime."

Sir Paul Nurse, Cancer Research UK

Your research papers will be:

- available free of charge to the entire biomedical community
- peer reviewed and published immediately upon acceptance
- cited in PubMed and archived on PubMed Central
- yours you keep the copyright

Submit your manuscript here: http://www.biomedcentral.com/info/publishing_adv.asp

